AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q94683

Application No.: 10/580,403

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

 (withdrawn): A composition for protecting liver functions, which comprises reduced coenzyme Q represented by formula (1):

(wherein n represents an integer in the range of 1 to 12).

2. (withdrawn): The composition according to claim 1, wherein the reduced coenzyme Q is reduced coenzyme Q_{10} .

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q94683

Application No.: 10/580,403

 (withdrawn): The composition according to claim 1, wherein the content of the reduced coenzyme Q is in the range of 0.001 to 99 percent by weight.

- (withdrawn): The composition according to claim 1, which further comprises a health food material.
- (withdrawn): A pharmaceutical formulation for protecting liver functions, which comprises the composition according to claim 1.
- (withdrawn): The pharmaceutical formulation according to claim 5, which is in the form of a powder, or a capsule formulation.
- 7. (withdrawn): The pharmaceutical formulation according to claim 5, which is in the form of a drinkable preparation, an injectable solution, or an infusion or a drops formulation.
- 8. (withdrawn): A functional food for protecting liver functions, which comprises the composition according to claim 1.
- (withdrawn): An animal feeding stuff for protecting liver functions, which comprises the composition according to claim 1.
- 10. (previously presented): A method for protecting liver functions of a mammal, which comprises administering to a mammal the composition according to claim 1.
- 11. (previously presented): A method for protecting liver functions of a mammal, which comprises or ally administering the composition according to claim 1.

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q94683

Application No.: 10/580,403

12. (withdrawn): A composition for protecting liver functions, which comprises oxidized coenzyme Q represented by formula (2) and selenium, wherein the content of the selenium is less than 0.01 percent by weight:

(wherein n represents an integer in the range of 1 to 12).

- 13. (withdrawn): The composition according to claim 12, which is used for oral administration.
- 14. (withdrawn): The composition according to claim 12, wherein the oxidized coenzyme Q is oxidized coenzyme Q₁₀.
- 15. (withdrawn): The composition according to claim 12, wherein the content of the oxidized coenzyme Q is in the range of 0.001 to 99 percent by weight.

Attorney Docket No.: Q94683

AMENDMENT UNDER 37 C.F.R. § 1.111 Application No.: 10/580,403

16. (withdrawn): The composition according to claim 12, which further comprises a health food material.

- 17. (withdrawn): A pharmaceutical formulation for protecting liver functions, which comprises the composition according to claim 12.
- 18. (withdrawn): The pharmaceutical formulation according to claim 17, which is in the form of a granulation, a powder, or a capsule formulation.
- 19. (withdrawn): The pharmaceutical formulation according to claim 17, which is in the form of a drinkable preparation, an injectable solution, or an infusion or a drops formulation.
- 20. (withdrawn): A functional food for protecting liver functions, which comprises the composition according to claim 12.
- 21. (withdrawn): An animal feeding stuff for protecting liver functions, which comprises the composition according to claim 12.
- 22. (previously presented): A method for protecting liver functions of a mammal, which comprises administering to a mammal the composition according to claim 12.
- 23. (new): The method for protecting liver functions of a mammal according to claim 10, which reduces an increase in GPT or GOT activity in blood.
- 24. (new): The method for protecting liver functions of a mammal according to claim 11, which reduces an increase in GPT or GOT activity in blood.
- 25. (new): The method for protecting liver functions of a mammal according to claim 22, which reduces an increase in GPT or GOT activity in blood.